

CERTIFICATE

Certificate holder	Bänninger Kunststoff-Produkte GmbH Bänningerstr. 1 35447 Reiskirchen GERMANY
Production facility	Staßfurt
Product	Fittings made of PP-RCT (Polypropylene Random-Copolymer) for installation
Classification	EG 131.1, Outside Diameter up to 63 mm
Testing basis	DIN EN ISO 15874-3:2013-06 Certification Scheme Plastic Piping Systems (Pressure Pipes and Fittings) (2017-05)
Mark of conformity	 
Registration No.	P1R0341
Valid until	2028-03-31
Right of use	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number. See annex for further information.

2023-02-15

Dr. Klaus Kock
Managing Director



ANNEX

Page 1 of 1

Certificate	P1R0341 dated 2023-02-15
Technical Data	Outside Diameter up to 63 mm Material: PP-RCT Type: see production facility related material list Colour: - green, similar to RAL 6024 - customer related colour coding according to company standard specification Weldable with: - Pipes and Fittings PP-R according to DIN EN ISO 15874-2; -3 and ZP 10.25.1/8 - Multilayer pipes PP-RCT / AL / PP-RCT according to ZP 9.18.1 - Multilayer pipes PP-RCT / PP-RCT-GF / PP-RCT according to DIN EN ISO 21003-2 and ZP 9.12.1
Testing laboratory/ Inspection body	IMA Materialforschung und Anwendungstechnik GmbH Postfach 80 01 44 01101 Dresden GERMANY
Test report(s)	V105/17.2 dated 2017-06-16 KR 026/17 dated 2017-06-08 V103/21-3A/4A dated 2021-07-14 5-0543/21 dated 2021-12-15 5-0384/21 dated 2022-03-01 V090/22-3/4 dated 2022-06-30 5-0164/22 dated 2022-05-03

